

SPEAKING WORDS LANGUAGE INSTRUCTION SYSTEM AND METHODS

CROSS-REFERENCE TO RELATED APPLICATION

5 This application claims the benefit under 35 U.S.C. § 119(e) of U.S. provisional application Serial No. 60/415,086 filed October 1, 2002 (Attorney Docket No. 3359.1001-000). Said provisional application is incorporated herein by reference in its entirety.

BACKGROUND OF THE INVENTION

10 The present invention is directed to a language instruction tool and, more particularly, to a computer-based system and method employing an improved "speaking words" interface for teaching and promoting early or emergent reading and/or foreign language acquisition. Although the present
15 invention will be described primarily herein in reference to an application designed to run primarily from a browser as a set of hypertext markup language (HTML), or World Wide Web (Web) documents or pages, it will be recognized that the present invention can also be embodied as other markup language documents or run as a standalone application, such as a Macromedia Flash
20 (SWF) file on the user's desktop. Thus, the present invention may be accessed directly from the Internet or intranet, or can be distributed to users by any computer distribution mechanism, including CD-ROM and DVD, and the like.

 Historically, sound has been implemented in Web browsers in very limited ways, often requiring the user to click and then wait for a significant
25 interval of time (possibly up to a second or longer) until the sound was

downloaded. When a faster response was available, the clicking sound of the mouse interfered with hearing the sound. Too often the sound quality was poor or unexpressive. Most embedded sounds on the Web could not be played by a universal player, so pages that ran on one user's platform would not run on another.

The present invention provides a new and improved language instruction method and apparatus that overcomes the above referenced problems and others.

SUMMARY OF THE INVENTION

In a first aspect, a computer-based information handling system includes a processor for executing an application program and a video display device including a display screen for displaying a word in a first language for audible playback on the display screen. A pointing device controls the position of a cursor movable on the display screen of the video display device in response to a user operating the pointing device and an audio output device is provided for audio playback. A memory stores a digital recording of the word for audible playback and a rollover region is associated with the word for playback and is defined at a position on the display screen overlapping a position of the word for playback on the display screen and configured to cause audible playback of the word in the first language when at least a portion of the cursor is over the rollover region.

In a second aspect, a method implemented in a computer-based information handling system having a video display, an audio output device for audio output of prerecorded sounds, a pointing device for positioning a cursor on the video display, comprises the steps of providing a background image viewable on the video display, wherein the background image includes a word in a first language and prerecording a digital sound recording of the word being spoken in the first language. A designated hot region on the video display for triggering audio output of the recording of the word in the first language, is associated with the word and overlaps the word on the video display. When at least a portion of

the cursor is positioned over the hot region in response to a user using the pointing device, the audio output device is caused to audibly output the recording of the word in the first language in response to the cursor or portion thereof being positioned over the hot region.

5 In a third aspect, a computer-readable medium whose contents cause a computer-based information handling system to perform method steps for audio playback of a word appearing on a display device of the information handling system is provided. The method steps include providing a background image viewable on the display device, the background image including a word in
10 a first language, and prerecording a digital sound recording of the word being spoken in the first language. A designated hot region on the display device is associated with the on-screen word for triggering audio output of the recording of the word in the first language, the hot region overlapping the word on the display device. When at least a portion of the cursor is positioned over the hot region in
15 response to a user using the pointing device, the audio output device is caused to audibly output the recording of the word in the first language in response to the cursor or portion thereof being positioned over the hot region.

 In a fourth aspect, a language instruction system is provided, comprising a processor for executing an application program and a video display
20 device including a display screen for displaying a word in a first language for audible playback on the display screen, the word appearing individually or as a part of a multiword phrase or sentence. A pointing device controls a cursor movable on the display screen of the video display device in response to a user operating the pointing device and an audio output device is provided for audio
25 playback. A memory stores a digital recording of the word for audible playback and a rollover region is associated with the word for playback and defined at a position on the display screen overlapping a position of the word for playback on the display screen and configured to cause audible playback of the word in the first language when at least a portion of the cursor is over the rollover region. A
30 first on-screen object is selectable with the pointing device and associated with the multiword phrase or sentence displayed on the display screen, the first on-

screen object configured to trigger audio playback of the multiword phrase or sentence in the first language. If the word is a part of a multiword phrase or sentence, a second on-screen object is provided which is selectable with the pointing device and associated with the multiword phrase or sentence displayed on the display screen, the first on-screen object configured to trigger audio playback of the multiword phrase or sentence in a second language and in a fluently spoken manner.

In a fifth aspect, a method for developing a language instruction system, comprises designing a spoken words interface having a background image and text of one or more words for audible playback. A digital image representation of the background and a digital sound recording of the one or more words for audible playback are created. For each of the one or more words, a button, e.g., a transparent button, is provided on the spoken words interface and at least a portion of the imported audio file is associated with the button so as to cause audible playback of the at least a portion of the imported audio file in response to user input comprising positioning at least a portion of an on-screen cursor over the button. Each button is placed on the spoken words interface at an on-screen location which at least partially overlies an on-screen location of its associated word.

In a sixth aspect, a markup language document stored on a computer-readable medium to provide interactive language instruction includes a background comprising a background image viewable on the video display, the background image including a word in a first language, and a prerecorded digital sound recording of the word being spoken in the first language. A rollover region on the video display triggers audio output of the recording of the word in the first language in response to a user moving at least a portion of an on-screen cursor over the rollover region, the rollover region overlapping the word on the video display.

One advantage of the present invention resides in its ability to combine visual and auditory language learning.

Another advantage of the present invention is found in that it enables users to learn languages directly over the Internet, intranet, or computer desktop.

Another advantage of the present invention is that it provides users
5 with the opportunity to play each word as many times as they want.

Yet another advantage of the present invention is found in its ability to produce sound instantly.

Still another advantage of the present invention is that words may be played with no mouse click to interfere with the sound of a word.

10 Another advantage of the present invention resides in that high quality sound, pronunciation, and intonation may be provided.

Still another advantage of the present invention is found in that it may be adapted to play on virtually all Web browsers using a widely or universally available player.

15 Still further benefits and advantages of the present invention will become apparent to those of ordinary skill in the art upon reading and understanding the following detailed description of the preferred embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

20 The invention may take form in various components and arrangements of components, and in various steps and arrangements of steps. The drawings are only for purposes of illustrating preferred embodiments and are not to be construed as limiting the invention.

FIGURE 1 is a block diagram illustrating a web browser-based
25 embodiment of the present invention.

FIGURE 2 is a block diagram of a hardware system generally representative of a computer-based information handling system of a type operable to embody the present invention.

FIGURES 3-5 illustrate exemplary web page layouts incorporating
30 the speaking words interface in accordance with the present invention.

FIGURES 6-9 are flow diagrams illustrating some exemplary methods of operation of the present invention.

FIGURE 10 is a flow diagram illustrating an exemplary manner for generating a speaking words file in accordance with the present invention.

5

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is preferably implemented in a web page comprising one or more words of text and specifically designed such that, when the user rolls the mouse over a word of text, the user hears the word spoken in a natural, authentic accent. The Speaking Words web page may additionally include symbols that the user can click on to hear a whole phrase or sentence spoken fluently.

Foreign language applications of the present invention will generally employ the foreign language (i.e., a secondary language) as the on-screen language as well as the rollover playback language. A designated on-screen symbol may also be provided to allow the user to hear the meaning of a word, phrase or sentence in their native language (i.e., primary language), e.g., via a mouse click.

Although the present invention is particularly suited to foreign language applications, it will be recognized that the present invention may also be to provide mouse rollover playback of a spoken word in a web browser in the context of learning a primary or secondary language, including but not limited to emergent reading, English for speakers of other languages (ESL) training, secondary language training, language dictionaries, language tests, language pages for learning-disabled students, or other voice or speech training or coaching applications.

Furthermore, although the present invention will be described primarily herein by way of reference to a personal computer equipped with a web browser, it will be recognized that the present invention may be implemented in any type of computer-based information handling system, including but not limited to general purpose or personal computers, workstations, hand-held

computers, convergence systems, information appliances, Internet appliances, Internet televisions, Internet telephones, personal digital assistants (PDAs), personal information managers (PIMs), portable communication devices such as portable or mobile telephones, hand-held devices, PDAs, or the like, having a
5 wired or wireless network connection or capability, web browser (including wireless web browser) equipped devices, communication devices having embedded audio systems, and so forth.

With reference to FIGURE 1, a block diagram depicting an exemplary networked information handling system **100** in accordance with a preferred, web browser-based embodiment of the present invention is shown.
10 The information handling system **100** includes one or more network servers **110** interconnected with one or more remotely located client computer systems **120** configured to allow a user to use a web browser **122** over a network **130**. The client computer system **120** and server computer system **110** may be, for
15 example, a computer-based information handling system as described below by way of reference to FIGURE 2.

The network **130** interconnecting server **110** and the remote client system **120** can include, for example, a local area network (LAN), metropolitan area network (MAN), wide area network (WAN), and the like, and
20 interconnections thereof. Network connection **130** can be an Internet connection made using the World Wide Web, an intranet connection, or the like.

The server computer system **110** and client computer system **112** interact by exchanging information via communications link **130**, which may include transmission over the Internet. In the depicted, web browser-based
25 embodiment, the server **112** receives hypertext transfer protocol (HTTP) requests to access web pages identified by uniform resource locators (URLs) and provides the requested web pages to the client computer system **120** for display using the browser **122**, as is generally known in the art.

To execute the language instruction program in accordance with
30 the present invention, a user operates the client computer system **120**. The client computer system **120** operates web browser software **122** that allows the

user to download and display one or more HTML files, or web pages, **112** contained on the server computer system **110**.

The present invention is preferably implemented using Macromedia's Flash application; although other implementations are also contemplated, such as JavaScript and Java. Each speaking words web page in accordance with this teaching consists of the one or more HTML pages **112** and one or more associated Flash format (SWF) files **114**.

Each of the web pages **112** includes one or more SWF files **114**. The SWF files are contained in the HTML pages **112** as embedded data, e.g., as an object and/or embedded file. When the user views the speaking words pages **112**, the HTML pages and associated SWF files are downloaded from the server **110** to the user's client computer **112**. In the preferred embodiment, the Flash Player **124** is installed in the browser **122** or on the client computer **112** desktop to provide audio playback of the speaking words pages **112**.

Preferably, the speaking word files **112** of the present invention are adapted to provide universal or near universal browser support, although it is also contemplated that certain implementations may be targeted to run in a specific browser, such as Microsoft's Internet Explorer browser (e.g., version 5.5 or higher). Additionally, the speaking words files **112** may be implemented in a host of other programming languages (such as Java) and/or run as a stand-alone application, or client/server or thin client application. Likewise, the present invention may be implemented using an audio player other than the Flash player. Also, it is contemplated that other markup languages or future versions of the HTML specification may support sound directly, in which case it is unnecessary to implement the sound files as embedded data and that the sound file would be played under direct markup language support, for example, new HTML tags to play audio.

Referring now to FIGURE 2, an information handling system operable to embody the present invention is shown. The hardware system **200** shown in FIGURE 2 is generally representative of the hardware architecture of a computer-based information handling system of the present invention, such as

the client computer system **120** or the server computer system **110** of the networked system **100** shown in FIGURE 1.

The hardware system **200** is controlled by a central processing system **202**. The central processing system **202** includes a central processing unit such as a microprocessor or microcontroller for executing programs, performing data manipulations and controlling the tasks of the hardware system **200**. Communication with the central processor **202** is implemented through a system bus **210** for transferring information among the components of the hardware system **200**. The bus **210** may include a data channel for facilitating information transfer between storage and other peripheral components of the hardware system. The bus **210** further provides the set of signals required for communication with the central processing system **202** including a data bus, address bus, and control bus. The bus **210** may comprise any state of the art bus architecture according to promulgated standards, for example industry standard architecture (ISA), extended industry standard architecture (EISA), Micro Channel Architecture (MCA), peripheral component interconnect (PCI) local bus, standards promulgated by the Institute of Electrical and Electronics Engineers (IEEE) including IEEE 488 general-purpose interface bus (GPIB), IEEE 696/S-100, and so on.

Other components of the hardware system **200** include main memory **204**, and auxiliary memory **206**. The hardware system **200** may further include an auxiliary processing system **208** as required. The main memory **204** provides storage of instructions and data for programs executing on the central processing system **202**. The main memory **204** is typically semiconductor-based memory such as dynamic random access memory (DRAM) and/or static random access memory (SRAM). Other semi-conductor-based memory types include, for example, synchronous dynamic random access memory (SDRAM), double data rate (DDR) SDRAM, Rambus dynamic random access memory (RDRAM), ferroelectric random access memory (FRAM), and so on. The auxiliary memory **206** provides storage of instructions and data that are loaded into the main memory **204** before execution. The auxiliary memory **206** may include

semiconductor-based memory such as read-only memory (ROM), programmable read-only memory (PROM), erasable programmable read-only memory (EPROM), electrically erasable programmable read-only memory (EEPROM), or flash memory (block oriented memory similar to EEPROM). The auxiliary
5 memory **206** may also include a variety of nonsemiconductor-based memories, including, but not limited to, magnetic tape, drum, floppy disk, hard disk, optical laser disk, compact disc read-only memory (CD-ROM), write once compact disc (CD-R), rewritable compact disc (CD-RW), digital versatile disc read-only memory (DVD-ROM), write once DVD (DVD-R), rewritable digital versatile disc
10 (DVD-RAM), etc. Other varieties of memory devices are contemplated as well.

The hardware system **200** may optionally include an auxiliary processing system **208** which may include one or more auxiliary processors to manage input/output, an auxiliary processor to perform floating point mathematical operations, a digital signal processor (a special-purpose
15 microprocessor having an architecture suitable for fast execution of signal processing algorithms), a back-end processor (a slave processor subordinate to the main processing system), an additional microprocessor or controller for dual or multiple processor systems, or a coprocessor. It will be recognized that such auxiliary processors may be discrete processors or may be built in to the main
20 processor.

The hardware system **200** further includes a display system **212** for connecting to a display device **214**, and an input/output (I/O) system **216** for connecting to one or more I/O devices **218**, **220**, up to N number of I/O devices **222**. The display system **212** may comprise a video display adapter having all of
25 the components for driving the display device, including video memory, buffer, and graphics engine as desired. Video memory may be, for example, video random access memory (VRAM), synchronous graphics random access memory (SGRAM), windows random access memory (WRAM), and the like.

The display device **214** may comprise a cathode ray-tube (CRT)
30 type display such as a monitor or television, or may comprise an alternative type of display technology such as a projection-type display, liquid-crystal display

(LCD), light-emitting diode (LED) display, gas or plasma display, electroluminescent display, vacuum fluorescent display, cathodoluminescent (field emission) display, plasma-addressed liquid crystal (PALC) display, high-gain emissive display (HGED), and so forth.

5 The input/output system **216** may comprise one or more controllers or adapters for providing interface functions between the one or more I/O devices **218-222**. For example, the input/output system **216** may comprise a serial port, parallel port, integrated device electronics (IDE) interfaces including AT attachment (ATA) IDE, enhanced IDE (EIDE), and the like, small computer
10 system interface (SCSI) including SCSI-1, SCSI-2, SCSI-3, ultra SCSI, fiber channel SCSI, and the like, universal serial bus (USB) port, IEEE 1394 serial bus port, infrared port, network adapter, printer adapter, radio-frequency (RF) communications adapter, universal asynchronous receiver-transmitter (UART) port, etc., for interfacing between corresponding I/O devices such as a keyboard,
15 mouse, track ball, touch pad, digitizing tablet, joystick, track stick, infrared transducers, printer, modem, RF modem, bar code reader, charge-coupled device (CCD) reader, scanner, compact disc (CD), compact disc read-only memory (CD-ROM), digital versatile disc (DVD), video capture device, TV tuner card, touch screen, stylus, electroacoustic transducer, microphone, speaker,
20 audio amplifier, etc.

 The input/output system **216** and I/O devices **218-222** may provide or receive analog or digital signals for communication between the hardware system **200** of the present invention and external devices, networks, or information sources. The input/output system **216** and I/O devices **218-222**
25 preferably implement industry promulgated architecture standards, including Ethernet IEEE 802 standards (e.g., IEEE 802.3 for broadband and baseband networks, IEEE 802.3z for Gigabit Ethernet, IEEE 802.4 for token passing bus networks, IEEE 802.5 for token ring networks, IEEE 802.6 for metropolitan area networks, and so on), Fibre Channel, digital subscriber line (DSL), asymmetric
30 digital subscriber line (ASDL), frame relay, asynchronous transfer mode (ATM), integrated digital services network (ISDN), personal communications services

(PCS), transmission control protocol/Internet protocol (TCP/IP), serial line Internet protocol/point to point protocol (SLIP/PPP), and so on. It should be appreciated that modification or reconfiguration of the hardware system **200** of FIGURE 2 by one having ordinary skill in the art would not depart from the scope or the spirit of the present invention.

Referring now to FIGURES 3-5, there appears three exemplary user interfaces **300**, **400**, and **500**, respectively, and wherein like reference numerals will be used to describe like or analogous components throughout the several views, each of which includes a viewable on-screen image or graphic **310**. The background image **310** is preferably a static image, such as a GIF, JPEG, bitmapped, TIFF image, or the like, and preferably a JPEG image. The background image contains one or more objects of interest **312**, e.g., bearing on the learning objectives and language instruction provided. In the depicted illustrations of the preferred embodiments, the speaking works interfaces are shown contained in a web browser window **308**. However, it will be recognized that the speaking words interfaces **300**, **400**, and **500** are also amenable to other application environments.

The user interface further includes text, which may be on-screen text, e.g., overlaying the background **310**, or which may be a part of the image forming the background **310**. The text may include one or more individual words **314** and/or words **315** forming part of a multiword phrase or sentence **316**. The background **310**, in certain embodiments, may include viewable objects or renderings **312** which typically depict or have a direct or indirect (e.g., thematic) relationship to the words, phrases, and/or sentences to be read, learned and/or pronounced by the user.

Each of the textual words, whether an individual word **314** or a individual word **315** forming a part of a multiword phrase or sentence **316**, has an associated mouse rollover region **318** (shown in broken lines) which has an at least partially overlapping position on the display screen as its associated word **314** or **315**.

In a preferred embodiment, the rollover region **318** and its associated word **314** or **315**, are substantially coextensive, e.g., the mouse rollover region is defined by a rectangular box equal in size to and enclosing its associated word. In a particularly preferred embodiment, the mouse rollover region is defined by a rectangular box with top and side boundaries that are aligned with the top and sides of its associated word and a bottom boundary that extends a predetermined number of pixels below the bottom of the associated word, e.g., 1-10 pixels, preferably 2-5 pixels, and most preferably, 2 pixels. In this manner, in the case of a standard, upward pointing cursor **320**, the pointed portion of the cursor **320** may move over the portion of the rollover region downwardly extending from the bottom edge of the associated word **314** or **315** allowing the user to essentially point to a word **314** or **315** for playback without visually obscuring the word.

In operation, a user controls a mouse or other pointing device to move an on-screen cursor or pointer **320** over a selected word **314** or **315** to trigger prerecorded and correctly pronounced audio playback of the selected word.

Optionally, additional on-screen symbols, objects, indicia, or buttons **322** may be provided, responsive to mouse button events. The buttons **322** may be selected using mouse button events, e.g., by clicking, to trigger audio playback of an associated word **314** or **315**. A button **322** may be associated with words **314** which are not a part of a multiword phrase or sentence to cause playback, when selected, of the word in a second language, i.e., a language other than language in which the word appears in the on-screen text. Likewise, a button **322** may be associated with an entire multiword phrase **316**, in which case, selecting the button will cause playback of the entire phrase or sentence in the second language. In a preferred embodiment, bilingual playback buttons **322** are provided for individual words **315** and for entire multiword phrases or sentences **316**, but not for individual words **315** that form part of a multiword phrase or sentence.

In another preferred embodiment, where bilingual playback is provided via on-screen buttons, the on-screen text and the audio triggered by mouse rollover events are provided in a language which is foreign to or is being learned by the user (secondary language), whereas the translated audio
 5 triggered by the buttons **322** is in the user's native (primary) language. However, other variations are also contemplated. For example, in the case of teaching a user to read or teaching speech skills, vocal training, or the like, the on-screen text and rollover event triggered audio may be in the user's primary language.

A second, on-screen indicia, object, button, etc., **324** may also be
 10 provided for fluency playback, i.e., for playback of an entire multiword phrase or sentence **316** in the on-screen language in a fluently spoken manner, which oftentimes cannot be adequately garnered from hearing words spoken individually and distinctly. Thus, where the text includes a multiple word phrase or sentence **316**, a fluency object **324** may be provided to trigger audible
 15 playback of the entire phrase or sentence in the language of the on-screen text spoken in a fluent, continuous manner. Additional on-screen text **326**, such as user instructions (i.e., in the user's primary language in the case of bilingual language instruction) or other information may also be provided.

Additional on-screen actions may also be provided, such as
 20 underlining **328** of the words spoken during playback, e.g., underlining single words **314** of **315** during playback of an individual word and/or underlining an entire phrase or sentence during bilingual and/or fluency playback. As an alternative or in addition to underlining, other actions may also occur on playback, such as highlighting, a change of text color, other text effects, and the
 25 like.

As an alternative to the use of multiple types of on-screen indicia **322** and **324** for audio playback in the user's native language and the on-screen language, respectively, a single graphical object may be provided to provide
 30 playback in one of multiple languages or formats based on different mouse events, such as single click, double click, right or left mouse clicks, or through the use of pop-up or context menus.

It will be recognized that the cursor movement or coordinate data and mouse button event data as discussed herein need not generated by a mouse, but may be generated by any pointing device of a type used to the position of a cursor or pointer on a display screen, including but not limited to
5 track ball, touch pad, digitizing tablet, joystick, track stick, touch screen, stylus, and so forth. In a preferred embodiment, the present invention is implemented for use with a touch screen, wherein the MouseOver events may be generated by a user stylus or finger touch down event at a coordinate position corresponding to a designated rollover region and/or by a touch down event
10 occurring elsewhere on the screen followed by movement of the user's over a designated rollover region.

In operation, the speaking words program is a straightforward, event-driven application. Referring now to process **600** of FIGURE 6, the user accesses spoken word web pages in accordance with the present invention at
15 step **604**. The user operates a mouse or other pointing device to move an on-screen pointer or cursor over the on-screen words they want to hear. In this manner, the user can play the words in any order and as many times as they want (this mimics the self-directed way in which young children sound out text on a printed page). Mouse position and events are monitored at step **608** and at
20 step **612** it is determined whether a mouse rollover event has occurred. If a rollover event is not detected at step **612**, the process returns to step **608** and repeats. If a mouse rollover event is detected at step **612**, i.e., the on-screen pointer or cursor passes over a rollover region associated with a particular word, a recording of the word spoken in on-screen language (i.e., the language in
25 which the word appears on the screen) is played at step **616**. The process then returns to step **608** and repeats.

Referring now to FIGURE 7, there appears a process **700** similar to the process **600** of FIGURE 6, but further including an optional bilingual feature wherein where an on-screen object is provided for triggering playback of a
30 bilingual recording, e.g., translation, of the on-screen text. The process **700** begins at step **704** in which the user accesses spoken word web pages as

described above. Mouse position and events are monitored at step **708** and at step **712** it is determined whether a mouse rollover event has occurred. If a rollover event is not detected at step **712**, the process returns to step **708** and repeats. If a mouse rollover event is detected at step **712**, a recording of the word spoken in on-screen language is played at step **716**. The process then returns to step **708** and repeats.

If a rollover event is not detected at step **712**, it is determined at step **720** whether a mouse event that triggers playback of a bilingual recording has occurred. This may be, for example, a mouse button event or click on an on-screen button, icon, etc., proximate to an on-screen word, phrase, or sentence. If a bilingual mouse event is detected at step **720**, a recording of the bilingual version or translation of the word or words associated with the selected on-screen object (typically in the user's primary language) is played at step **724** and the process returns to step **708** and repeats. If a bilingual mouse event is not detected at step **720**, the process returns to step **708** and repeats.

In a preferred embodiment, only a single on-screen object is provided for a given word or group of words. That is, when a bilingual triggering object is associated with a multiword phrase or sentence, triggering bilingual playback at step **724** will cause playback of the entire multiword phrase or sentence. Thus, it is not necessary to provide on-screen objects for triggering bilingual playback of individual words within a multiword phrase or sentence, although doing so is contemplated. Of course, where the onscreen text is a single word, bilingual playback at step **724** will likewise consist of a single word. It is also contemplated that audio playback in multiple languages, in addition to the on-screen language, may be provided. Thus, a single speaking words page in accordance with the present invention may contain a set of translations in different languages, e.g., wherein a desired translation language is dynamically selected, e.g., in accordance with user input or information requested by the user.

Referring now to FIGURE 8, there appears a process **800** similar to the process **600** of FIGURE 6, but further including an optional fluency feature

wherein where an on-screen object is provided for triggering playback of a an entire multiword phrase or sentence in the on-screen language so that the user can hear the entire phrase or sentence spoken in a fluent manner, since the correct pronunciation of words in a given phrase cannot always be ascertained
 5 from pronunciation of the words in isolation.

The process **800** begins at step **804** in which the user accesses spoken word web pages as described above. Mouse position and events are monitored at step **808** and at step **812** it is determined whether a mouse rollover event has occurred. If a rollover event is not detected at step **812**, the process
 10 returns to step **808** and repeats. If a mouse rollover event is detected at step **812**, a recording of the word spoken in on-screen language is played at step **816**. The process then returns to step **808** and repeats.

If a rollover event is not detected at step **812**, it is determined at step **828** whether a mouse event triggering playback of a fluent recording of an
 15 entire on-screen phrase or sentence has occurred. This may be, for example, a mouse button event or click on an on-screen button, icon, etc., proximate to an on-screen multiword phrase or sentence. A fluency icon need not be provided for on-screen text appearing as a single word rather than as part of a multiword phrase or sentence. If a fluency mouse event is detected at step **828**, a
 20 recording of the entire phrase or sentence in the language of the text appearing on-screen is played at step **832** and the process returns to step **808** and repeats. If a fluency mouse event is not detected at step **828**, the process returns to step **808** and repeats.

Referring now to FIGURE 9, there is shown another embodiment of
 25 the present invention which incorporates both of the optional bilingual and fluency features, as discussed above. The process **900** begins at step in which the user accesses spoken word web pages as described above. Mouse position and events are monitored at step **908** and at step **912** it is determined whether a mouse rollover event has occurred. If a rollover event is not detected at step
 30 **912**, the process returns to step **908** and repeats. If a mouse rollover event is

detected at step **912**, a recording of the word spoken in on-screen language is played at step **916**. The process then returns to step **908** and repeats.

If a rollover event is not detected at step **912**, it is determined at step **920** whether a mouse event triggering playback of a bilingual recording has occurred. This may be, for example, a mouse button event or click on an on-screen button, icon, etc., proximate to an on-screen word, phrase, or sentence. If a bilingual mouse event is detected at step **920**, a recording of the bilingual version or translation of the word or words associated with the selected on-screen object is played at step **924** and the process returns to step **908** and repeats.

If a bilingual mouse event is not detected at step **920**, the process proceeds to step **928** where it is determined whether a mouse event triggering playback of a fluent recording of an entire on-screen phrase or sentence has occurred. This may be, for example, a mouse button event or click on an on-screen button, icon, etc., proximate to an on-screen multiword phrase or sentence. A fluency icon need not be provided for on-screen text appearing as a single word rather than as part of a multiword phrase or sentence. If a fluency mouse event is detected at step **928**, a recording of the entire phrase or sentence in the language of the text appearing on-screen is played at step **932** and the process returns to step **908** and repeats. If a fluency mouse event is not detected at step **928**, the process returns to step **908** and repeats.

The processes outlined in FIGURES 6-9 illustrate some exemplary processes according to the present invention. In each of the depictions, the process is shown as a continuous loop and it will be recognized that the process may be terminated by closing the selected web page or instance of the browser application containing the web page, or by navigating away from the selected web page. The user may decide to repeat the process by loading additional web pages, e.g., by navigating to another web page, such as a next or previous page where multiple pages are sequenced or otherwise linked, e.g., by clicking on an icon, button, link, or other navigation device.

An exemplary process to develop a speaking words page in accordance with the present invention includes four distinct tasks: (1) creating JPEG images; (2) recording, transferring, and editing sound; (3) creating Flash SWF files; and (4) coding HTML pages. An exemplary method 1000 for generating or developing a speaking words file in accordance with the present invention is outlined in FIGURE 10.

Although the present invention is described by way of reference to some of the presently preferred implementations, it will be appreciated that the described process is also amenable to other computer applications providing sound support and for creating sound and images on the Web, such as JavaScript, Java, and so forth.

1. The JPEG Image.

The first step (1004) in creating the JPEG image is to design a speaking words web page. Factors to be addressed include the total number of web pages to be generated and the appropriate text size or spacing between words for the intended audience or for ease of use. For example, it may be desirable to use larger text and larger spacing between words where the targeted audience includes younger children or persons not prone to precise mouse/cursor manipulations. Other considerations include the number of words appearing on the page, the number of separate SWF files to comprise the playable words on a web page; the length of time it will take to download the completed web page, and so forth.

The image consists of a background and the text of the words the user will hear. Alternatively, the text of the words may be contained in the final markup language document, rather than the image file, in which case the background consists only of the image representation. The background may be, for example, one or more scanned or digital photographs, scanned or digital artwork, or any combination thereof. Typically, the background has a thematic relationship to the text, or, the text and background may combine to tell a story. Designers will be concerned with size and placement of text, font type and color, and how the text interacts with the background, as well as the dimensions of the

completed JPEG. It will be recognized that, although a JPEG image format is used for the background image in the preferred Flash implementation, alternative image formats may also be used and/or that the JPEG format may be superceded in the future.

5 The page is composed or drawn at step **1008**, and digital representations of any photographs, artwork, or other images to be employed in creating the page background are acquired at step **1012**.

 The background image is converted, if necessary, to the JPEG file format at step **1016**. It will be recognized that the page may be drawn or
10 composed entirely in the digital domain and, in such case, scanning step **1012** may be omitted. It will be recognized that any computer drawing or graphic application may be used to create the JPEG image, including the Flash application itself. Where the JPEG is created within Flash, it does not need to be imported into Flash in step **1032**, below. However, the use of a graphic editing
15 application such as Adobe Photoshop or Illustrator will generally provide greater control over the background and produce higher quality images.

2. The MP3 Sound Files.

 Sounds are recorded at step **1020** and converted to digital sound files at step **1024**. The sound files are preferably skillfully recorded, edited and/or
20 processed to produce high sound quality recordings and, advantageously, the speaker may receive supervision or training from a vocal coach to ensure proper vocal delivery. The speaker should be fluent in the spoken language, i.e., such that the diction and pronunciation would appear exemplary to a native speaker of the language. The playable words are recorded as distinct and separate words,
25 even where the words appear as a part of an on-screen multiword phrase or sentence, e.g., and should be delivered with the intonation each word would have in the context of the phrase or sentence. Additionally, where multiple word phrases or sentences are provided and the fluency option is desired, a recording of the words spoken fluently as the entire phrase and sentence is also made.

30 Likewise, if there is a bilingual version, the primary language words, phrases and sentences must be spoken fluently. However, in certain

embodiments, where words appear on screen as a multiword phrase or sentence and the bilingual option is desired, a single recording of the bilingual phrase or sentence is made, and bilingual recordings of the individual words forming part of a phrase or sentence need not be made. In certain embodiments, a speaker or
5 speakers fluent in the on-screen language may be recorded to produce the audio files of the on-screen words, phrases, and/or sentences, and a different speaker or speakers fluent in the second language to produce the recordings of the bilingual text. However, it is also contemplated that the same speaker or speakers fluent in both languages may be used for both the on-screen and
10 bilingual text.

The sound can be recorded onto an analog recording medium, such as analog tape, and subsequently transferred to a digital format. Exemplary digital file formats include but are not limited to 16-bit PCM, Direct Stream Digital (DSD) super audio CD format, waveform audio (WAV) format, G.711 mu-law,
15 AIFF, XSNG, MPEG, MP3 audio, IMA/DVI ADPCM, GSM 06.10, InterWave VSC112, TrueSpeech 8.5, RealAudio, and other digital audio formats.

The recordings may be transmitted by suitable means directly from a compact disc or may be stored as digital data on some other digital storage device or medium such as a computer hard drive or digital magnetic tape. The
20 sound recordings may be passed through a digital signal processing apparatus prior to storage in digital format, or may be recorded in digital format directly, i.e., obtained directly from the output of an analog-to-digital converter.

If the digital sound data is not already in MP3 audio format, any computer sound application can be used to transfer it into this format. In the
25 preferred Flash implementation, all of the words that make up a given phrase or sentence that are to be separately playable are placed in a single MP3 file; thus there will be as many of these files as there are phrases or sentences. Each fluent and bilingual word (where the text appears on screen as a single word) or, in the case of multiword phrases or sentences, each fluent and bilingual phrase
30 or sentence is placed in its own MP3 file.

It will be recognized that, although the MP3 audio format is employed for the sound files in the preferred Flash implementation, alternative audio formats may also be used and/or that the MP3 format may be superceded in the future.

5 3. The SWF File.

To achieve rollover sound, each playable text word on the web page is enclosed in a "hot" or sensitive region **318** (see, e.g., FIGURE 3) that traps MouseOver events. In the preferred embodiment, the rollover sound is implemented using the Flash application because at this time Flash guarantees
10 universal browser support. However, this effect may also be implemented by JavaScript, Java, Flash, and various other Web design applications.

As stated above, in the preferred Flash implementation, all words of a multiword phrase or sentence are contained as distinct and separate words in a single digital sound file where each separate and distinct word is selectively and
15 individually playable.

In the Flash application, a Flash document is created (step **1036**), which is sometimes referred to as a "movie." At step **1032**, the JPEG image is imported to the Flash document (if the JPEG was not created within Flash) and the MP3 audio files are imported into the document library. The JPEG is placed
20 on one layer of the document and a separate layer is created for sound.

In the document library the developer creates a set of buttons and associates an imported MP3 audio file with each button. There will be one button for each playable word. For each button, the sound file is edited such that only the selected word plays; Effect is set to "None", Sync to "Start", and Loop to "0".
25 Each button is placed on the document sound layer, directly over the visual text word that will play it, and each button is made to allow transvisualization of the underlying word, and is preferably made transparent (i.e., Alpha is set to "0").

A set of clickable buttons is created for the bilingual words, phrases, or sentences, where the bilingual functionality is desired. Each of the
30 buttons is placed on the sound layer in an appropriate position with regard to its associated word, phrase, or sentence. Furthermore, where the fluency

functionality is desired, a set of clickable buttons is created for the fluent phrases or sentences. Each of the buttons is placed on the sound layer in an appropriate position with regard to its associated phrase or sentence. Actions, such as underlining visible text, may also be associated with the fluent and/or bilingual buttons.

The Flash document or "movie" is tested at step **1040**. After testing the document, one or more SWF files are published at step **1044**, which may be embedded in an HTML page at step **1056**. Multiple SWF files may be published from the same document or movie to produce a set of SWF files in which different fluency (step **1048**) and bilingual (step **1052**) features are turned on or off.

4. The HTML File.

Although the present invention is discussed by way of reference to HTML documents, it will be recognized that the present invention may be adapted to other markup languages and standards as currently exist or as may be promulgated in the future. Following the initial design of the web page (step **1004**), the developer places one or more SWF files in an HTML file (step **1056**) using the embedded data tags, `<OBJECT>` and `<EMBED>`. These tags cause the server to download the SWF file(s) along with the HTML file onto the client browser. The tags also cause the client browser to call the Flash player to play the SWF files. Program instructions, such as JavaScript or Java, may be used within the HTML file to load SWF files dynamically, depending on user interaction with the web page. Navigation features may also be added to the HTML file so that users can move from one speaking words web page to another. Text instruction for using the speaking words pages may also be provided in the HTML file and presented to the user, e.g., in the user's native language in the case of a bilingual or foreign language instruction implementation.

The developer may then test the HTML and SWF files locally at step **1060**. If it is determined that additional modifications or debugging is necessary at step **1064**, the process proceeds to step **1068** where it is determined whether the problem is an HTML problem or SWF problem. If the

problem is not an HTML problem, the process returns to step **1036** and continues as described above. If the problem resides in the HTML file, the process returns to step **1056** and continues.

If no problems are revealed at step **1064**, the HTML pages are
 5 published on the Internet (or other network) at step **1072** and tested at step **1076** on one or more the targeted platforms and, preferably, on a variety of platforms before releasing the final web pages at step **1080**.

The following steps describe how to create a Web page in accordance with an alternate embodiment of the invention. The developer can
 10 use any application to create a JPEG or other image file. The image includes a background (e.g., digital or scanned photographs, digital or scanned art, or any combination thereof) and the text of the words the user will hear. Usually the background has a thematic relationship to the text, or the text and background tell a story. Alternatively, the text words can be contained in the final HTML
 15 markup rather than the JPEG file.

Next, spoken word sentence files are created. The spoken words, and native language translation, if applicable, may be prerecorded, e.g., on tape or CD in their individual sentence form. Each spoken word should remain distinct within the sentence. The developer may use any application to transfer the
 20 sentences into, e.g., AIFF audio format, making sure to keep the entire sentence intact in the AIFF file.

A sound-only SWF file is created in the Flash application by open a new movie and importing all of the AIFF sound files into its library. A layer for sound is created on the main timeline. To make the audio that will be played on
 25 mouse rollover, a new movie clip with three layers is created: labels, actions, and sound. A stop action is inserted on the first frame of the actions layer. A label is added to frame 5 of the labels layer; this label represents the "start" state of a sound. A stop sync sound command is added to frame 5 in the sound layer. One of the spoken word sentences is added to frame 6 of the sound layer. In the
 30 sound panel, Effect is set to "None," Sync to "Start," and Loop to "0." In the Sound Editing Dialogue Box, only the first word in the spoken word sentence is

selected and the Flash file is saved. Using the same procedure, movie clips are created for each word in the sentence. This is done for each word in each spoken word sentence. The process may be streamlined by duplicating movie clips and simply replacing the old sound with a new one.

5 To make the audio that will be played on mouse click (i.e., the translation of the spoken words or fluently spoken multiword phrases or sentences), the same process is used as for spoken words, but individual words are not selected. Instead, one movie clip is created for the whole sentence. Spoken words are played individually, but translations and fluent
10 phrases/sentences are played as an entire sentence. A movie clip is created for each translation sentence.

 An instance of each movie clip is placed on the stage. Each instance is named when placed. This name is used by the JavaScript code to pass the sound in the Flash player. Finally, a SWF file is generated by using the
15 Publish command in Flash.

 Next, the HTML file is created. The HTML file contains a JavaScript function that passes the appropriate sound to the Flash player and tells it to play. Spoken words are activated by a mouse rollover event. Translation/fluency sentences are activated by a mouse click event. If the text
20 words have been incorporated into the image file, the JavaScript function to play the sound is called from a MAP statement. The MAP statement specifies the regions in which a rollover or click will play a particular sound instance. In the MAP statement, the developer must include the point coordinates that define an enclosing rectangle around the specific word to be played. If the image is
25 background only and the text words exist in the HTML markup, the JavaScript function to play the sound is called from an HREF statement. In this case, it is not necessary to specify an enclosing rectangle because the word is automatically sensitive.

 The present invention may also be employed as a standalone SWF
30 file. A background containing an image and on-screen text representations of the words to be spoken and corresponding audio files are created as described

above. Using the Flash application, a new movie file is created with two layers on its main timeline: JPEG and sound. The JPEG layer is selected and the JPEG file is imported, positioning it at the center of the stage. Then, the sound files are imported into the library. A button is created for each spoken word, and
 5 an optional button is created for each multiword phrase or sentence and for each standalone word that is not part of a multiword phrase or sentence. Likewise, an optional button for fluent playback of each multiword phrase or sentence in the on-screen language may also be provided.

For each spoken word button, in the Sound panel, the appropriate
 10 sentence is assigned to the button's "Over" state. The Sound panel is used to set the Effect to "None," the Sync to "Start," and the Loop to "0." The Sound Editing Dialogue Box is used to select the appropriate word from the sentence. For each translation/bilingual sentence, the entire sentence is assigned to the button's "Down" state.

15 The sound layer is selected in the main timeline and an instance of each spoken word button is dragged to the appropriate text word. An instance of each translation/fluency button is dragged to the appropriate translation region, which can be represented by a dot or other on-screen icon, graphic, or indicia, at an on-screen position proximate the associated on-screen text, for example, 10
 20 pixels to the left or right of the word or sentence. The movie may be tested to see that the audio is correctly placed. Finally, the completed movie is published as a SWF file that will play directly on the user's desktop.

Although the invention has been described with a certain degree of particularity, it should be recognized that elements thereof may be altered by
 25 persons skilled in the art without departing from the spirit and scope of the invention. One of the embodiments of the invention can be implemented as sets of instructions resident in the main memory 204 of one or more computer systems configured generally as described in FIGURE 2. Until required by the computer system, the set of instructions may be stored in another computer
 30 readable memory such as the auxiliary memory of FIGURE 2, for example in a hard disk drive or in a removable memory such as an optical disk for utilization in

a DVD-ROM or CD-ROM drive, a magnetic media for utilization in a magnetic media drive, a magneto-optical disk for utilization in a magneto-optical drive, a floptical disk for utilization in a floptical drive, or a memory card for utilization in a card slot. Further, the set of instructions can be stored in the memory of another
5 computer and transmitted over a local area network or a wide area network, such as the Internet, when desired by the user. Additionally, the instructions may be transmitted over a network in the form of an applet that is interpreted after transmission to the computer system rather than prior to transmission. One skilled in the art would appreciate that the physical storage of the sets of
10 instructions or applets physically changes the medium upon which it is stored electrically, magnetically, chemically, physically, optically, or holographically, so that the medium carries computer readable information.